DOSAGE REFERENCE GUIDE

| 1 LB/GALLON CONCENTRATE | | | GROWTH (5-12-26) | | | | BASE (15-0-0) | | | |
|-------------------------|---------|---------|------------------|------------|--------|------|---------------|------------|--------|------|
| EC | PPM 500 | PPM 700 | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L |
| 0.5 | 250 | 350 | 1.5 | 0.34% | 12.8 | 3.4 | 1.0 | 0.23% | 8.6 | 2.3 |
| 1.0 | 500 | 700 | 2.3 | 0.50% | 19.1 | 5.0 | 1.5 | 0.34% | 12.7 | 3.4 |
| 1.5 | 750 | 1050 | 3.0 | 0.67% | 25.3 | 6.7 | 2.0 | 0.45% | 16.9 | 4.5 |
| 2.0 | 1000 | 1400 | 3.8 | 0.84% | 31.6 | 8.4 | 2.5 | 0.56% | 21.1 | 5.6 |
| 2.5 | 1250 | 1750 | 4.5 | 1.00% | 37.9 | 10.0 | 3.0 | 0.67% | 25.2 | 6.7 |
| 3.0 | 1500 | 2100 | 5.3 | 1.17% | 44.1 | 11.7 | 3.5 | 0.78% | 29.4 | 7.8 |
| 3.5 | 1750 | 2450 | 6.0 | 1.33% | 50.4 | 13.3 | 4.0 | 0.89% | 33.6 | 8.9 |
| 4.0 | 2000 | 2800 | 6.8 | 1.50% | 56.6 | 15.0 | 4.5 | 1.00% | 37.8 | 10.0 |

| 1 LB/GALLON CONCENTRATE | | | FLOWER (0-10-26) | | | | BASE (15-0-0) | | | |
|-------------------------|---------|---------|------------------|------------|--------|------|---------------|------------|--------|------|
| EC | PPM 500 | PPM 700 | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L |
| 0.5 | 250 | 350 | 1.2 | 0.26% | 10.0 | 2.6 | 0.7 | 0.15% | 5.8 | 1.5 |
| 1.0 | 500 | 700 | 2.3 | 0.51% | 19.2 | 5.1 | 1.4 | 0.31% | 11.7 | 3.1 |
| 1.5 | 750 | 1050 | 3.5 | 0.77% | 29.2 | 7.7 | 2.1 | 0.46% | 17.5 | 4.6 |
| 2.0 | 1000 | 1400 | 4.7 | 1.04% | 39.2 | 10.4 | 2.8 | 0.62% | 23.4 | 6.2 |
| 2.5 | 1250 | 1750 | 5.8 | 1.28% | 48.4 | 12.8 | 3.5 | 0.77% | 29.2 | 7.7 |
| 3.0 | 1500 | 2100 | 7.0 | 1.54% | 58.4 | 15.4 | 4.2 | 0.93% | 35.1 | 9.3 |
| 3.5 | 1750 | 2450 | 8.2 | 1.81% | 68.4 | 18.1 | 4.9 | 1.08% | 40.9 | 10.8 |
| 4.0 | 2000 | 2800 | 9.3 | 2.05% | 77.6 | 20.5 | 5.6 | 1.23% | 46.7 | 12.3 |

| 2 LB/GALLON CONCENTRATE | | | GROWTH (5-12-26) | | | | BASE (15-0-0) | | | |
|-------------------------|---------|---------|------------------|------------|--------|------|---------------|------------|--------|------|
| EC | PPM 500 | PPM 700 | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L |
| 0.5 | 250 | 350 | 1.5 | 0.17% | 6.4 | 1.7 | 1.0 | 0.11% | 4.3 | 1.1 |
| 1.0 | 500 | 700 | 2.3 | 0.25% | 9.5 | 2.5 | 1.5 | 0.17% | 6.4 | 1.7 |
| 1.5 | 750 | 1050 | 3.0 | 0.33% | 12.7 | 3.3 | 2.0 | 0.22% | 8.4 | 2.2 |
| 2.0 | 1000 | 1400 | 3.8 | 0.42% | 15.8 | 4.2 | 2.5 | 0.28% | 10.5 | 2.8 |
| 2.5 | 1250 | 1750 | 4.5 | 0.50% | 18.9 | 5.0 | 3.0 | 0.33% | 12.6 | 3.3 |
| 3.0 | 1500 | 2100 | 5.3 | 0.58% | 22.1 | 5.8 | 3.5 | 0.39% | 14.7 | 3.9 |
| 3.5 | 1750 | 2450 | 6.0 | 0.67% | 25.2 | 6.7 | 4.0 | 0.44% | 16.8 | 4.4 |
| 4.0 | 2000 | 2800 | 6.8 | 0.75% | 28.3 | 7.5 | 4.5 | 0.50% | 18.9 | 5.0 |

| 2 LB/GALLON CONCENTRATE | | | FLOWER (0-10-26) | | | | BASE (15-0-0) | | | |
|-------------------------|---------|---------|------------------|------------|--------|------|---------------|------------|--------|------|
| EC | PPM 500 | PPM 700 | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L | GRAMS/GAL | INJECTOR % | ML/GAL | ML/L |
| 0.5 | 250 | 350 | 1.2 | 0.13% | 5.0 | 1.3 | 0.7 | 0.08% | 2.9 | 0.8 |
| 1.0 | 500 | 700 | 2.3 | 0.25% | 9.6 | 2.5 | 1.4 | 0.15% | 5.8 | 1.5 |
| 1.5 | 750 | 1050 | 3.5 | 0.39% | 14.6 | 3.9 | 2.1 | 0.23% | 8.8 | 2.3 |
| 2.0 | 1000 | 1400 | 4.7 | 0.52% | 19.6 | 5.2 | 2.8 | 0.31% | 11.7 | 3.1 |
| 2.5 | 1250 | 1750 | 5.8 | 0.64% | 24.2 | 6.4 | 3.5 | 0.39% | 14.6 | 3.9 |
| 3.0 | 1500 | 2100 | 7.0 | 0.77% | 29.2 | 7.7 | 4.2 | 0.46% | 17.5 | 4.6 |
| 3.5 | 1750 | 2450 | 8.2 | 0.90% | 34.2 | 9.0 | 4.9 | 0.54% | 20.4 | 5.4 |
| 4.0 | 2000 | 2800 | 9.3 | 1.03% | 38.8 | 10.3 | 5.6 | 0.62% | 23.4 | 6.2 |

Please carefully review the complete Directions for Use, Conditions of Warranties, and Limitations of Liability before utilizing this product. If you find the terms unacceptable, promptly return the unopened product container. By using this product, the user or buyer acknowledges and accepts the outlined Conditions, Disclaimer of Warranties, and Limitations of Liability. CONDITIONS: The provided directions for use are deemed sufficient and must be meticulously adhered to. However, it is impossible to entirely eliminate all associated risks. Factors such as weather conditions, the presence of other materials, or

CONDITIONS: The provided directions for use are deemed sufficient and must be meticulously adhered to. However, it is impossible to entirely eliminate all associated risks. Factors such as weather conditions, the presence of other materials, or the method of use/application—beyond the control of Ninurda, Inc.—may result in crop injury, ineffectiveness, or unintended consequences. The user or buyer assumes all such associated risks. Factors such as weather conditions, the presence of other materials, or the method of use/application—beyond the control of Ninurda, Inc.—may result in crop injury, ineffectiveness, or unintended consequences. The user or buyer assumes all such associated risks. Factors such as weather of Ninurda, Inc. is authorized to make warranties beyond those specified herein or to modify them. To the extent consistent with applicable law, Ninurta, Inc. disclaims any liability for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATIONS OF LIABILITY: In complicable law, exclusive remedy for any and all losses, injuries, or damages arising from the use or handling of this product—whether in contract, warranty, tort, negligence, strict liability, or otherwise—shall not exceed the purchase price paid, or, at Ninurta, Inc.'s discretion, the replacement of the product.